

Product Exhibition Room



Production And Packing



The Exhibition



GD-J101M



48C Fiber Optic Splice Closure

Item No	Description
GD-J101M-24C	With 1PCS 24C Splicing Tray
GD-J101M-48C	With 2PCS 24C Splicing Tray

- Size: 450mm×125mm×140mm
- Material: PC
- Ports: 2 inlet 2 outlet
- Structure: Mechanical seal

GD-J102M



48C Fiber Optic Splice Closure

Item No	Description
GD-J102M-24C	With 2PCS 12C Splicing Tray
GD-J102M-48C	With 4PCS 12C Splicing Tray

- Size: 370mm(h)×120mm(d)×190mm
- Material: PC
- Ports: 2 inlet 2 outlet
- Structure: Mechanical seal

GD-J103H



24C Fiber Optic Splice Closure

Item No	Description
GD-J103H-12C	With 2PCS 6C Splicing Tray
GD-J103H-24C	With 2PCS 12C Splicing Tray

- Size: 325mm(h)×90mm(d)
- Material: PP+GF
- Ports: 1 inlet 2 outlet
- Structure: Heat shrinkable sealing

FIBER OPTIC SPLICE CLOSURE

GD-J104H



48C Fiber Optic Splice Closure

Item No	Description
GD-J104H-24C	With 2PCS 12C Splicing Tray
GD-J104H-48C	With 2PCS 24C Splicing Tray
GD-J104H-72C	With 3PCS 24C Splicing Tray

- Size: 335mm(h)×105mm(d)
- Material: PP+GF
- Structure: Heat shrinkable sealing
- Ports: 1 inlet 3 outlet
- If you need 72core(with 3 pcs 24C splicing tray) it is available

GD-J105H



48C Fiber Optic Splice Closure

Item No	Description
GD-J105H-24C	With 4PCS 6C Splicing Tray
GD-J105H-48C	With 4PCS 12C Splicing Tray

- Size: 300mm(h)×120mm(d)
- Material: PP+GF
- Ports: 1 inlet 3 outlet
- Structure: Heat shrinkable sealing

GD-J105M



48C Fiber Optic Splice Closure

Item No	Description
GD-J105M-24C	With 4PCS 6C Splicing Tray
GD-J105M-48C	With 4PCS 12C Splicing Tray

- Size: 300mm(h)×120mm(d)
- Material: PP+GF
- Ports: 2 inlet 2 outlet
- Structure: Mechanical seal

FIBER OPTIC SPLICE CLOSURE

GD-J106H



96C(144C) Fiber Optic Splice Closure

Item No	Description
GD-J106H-96C	With 4PCS 24C Splicing Tray
GD-J106H-144C	With 6PCS 24C Splicing Tray
GD-J106H-144C	With 4PCS 36C Splicing Tray

- Size: 550mm(h)×155mm(d)
- Material: PP+GF
- Structure: Heat shrinkable sealing
- Ports: 1 inlet 4 outlet

GD-J106M



96C(144C) Fiber Optic Splice Closure

Item No	Description
GD-J106M-96C	With 4PCS 24C Splicing Tray
GD-J106M-144C	With 6PCS 24C Splicing Tray
GD-J106M-144C	With 4PCS 36C Splicing Tray

- Size: 550mm(h)×155mm(d)
- Material: PP+GF
- Structure: Mechanical seal
- Ports: 2 inlet 4 outlet

FIBER OPTIC SPLICE CLOSURE

GD-J107M



72C Fiber Optic Splice Closure

Item No	Description
GD-J107M-24C	24 Cores With 2PCS 12C Splicing Tray
GD-J107M-48C	48 Cores With 4PCS 12C Splicing Tray
GD-J107M-72C	72 Cores With 6PCS 12C Splicing Tray

- Size: 400mm(h)×140mm(d)
- Material: PC
- Structure: Mechanical seal
- Ports: 2 inlet 2 outlet
- To be fixed on the wall or pole



GD-J108H



96C Fiber Optic Splice Closure

Item No	Description
GD-J108H-24C	24 Cores With 1PCS 24C Splicing Tray
GD-J108H-48C	48 Cores With 2PCS 24C Splicing Tray
GD-J108H-96C	96 Cores With 4PCS 24C Splicing Tray

- Size: 400mm(h)×140mm(d)
- Material: PP+GF
- Structure: Heat shrinkable sealing
- Ports: 1 inlet 4 outlet
- To be fixed on the wall or pole

GD-J108M



96C Fiber Optic Splice Closure

Item No	Description
GD-J108M-24C	24 Cores With 1PCS 24C Splicing Tray
GD-J108M-48C	48 Cores With 2PCS 24C Splicing Tray
GD-J108M-96C	96 Cores With 4PCS 24C Splicing Tray

- Size: 400mm(h)×140mm(d)
- Material: PP+GF
- Structure: Mechanical seal
- Ports: 2 inlet 4 outlet
- To be fixed on the wall or pole

FIBER OPTIC SPLICE CLOSURE

GD-J109H



48C Fiber Optic Splice Closure

Item No	Description
GD-J109H-48C	48 Cores With 2PCS 24C Splicing Tray

- Size: 400mm(h)×140mm(d)
- Material: PP+GF
- Structure: Heat shrinkable sealing
- Ports: 1 inlet 4 outlet
- To be fixed on the wall or pole

GD-J110



288C Fiber Optic Splice Closure

Item No	Description
GD-J110-144C	144 Cores With 6PCS 24C Splicing Tray
GD-J110-288C	288 Cores With 12PCS 24C Splicing Tray

- Size: 500mm(h)×300mm(d)
- Material: PP+GF
- Structure: Heat shrinkable sealing
- Ports: 1 inlet 6 outlet or 2 inlet 6 outlet
- To be fixed on the wall or pole

GD-J111H



192C Fiber Optic Splice Closure

Item No	Description
GD-J111H-96C	With 2PCS 48C Splicing Tray
GD-J111H-144C	With 3PCS 48C Splicing Tray
GD-J111H-192C	With 4PCS 48C Splicing Tray

- Size: 470mm(h)×205mm(d)
- Material: PP
- Structure: Heat shrinkable sealing
- Ports: 1 inlet 4 outlet
- If you need 96core(with 2 pcs 48C splicing tray) it is available

FIBER OPTIC SPLICE CLOSURE

GD-J088C



288C Fiber Optical Closure Box


Item No	Description
---------	-------------

GD-J088C	With 12pcs 24C Fiber Tray
----------	---------------------------

- Size:380(L)x245(W)X130(H)mm
- Inlet/outlet Ports:4/4
- With 12pcs 24C tray



GD-J088A



Fiber Optical Distribution Box (With 16 Hole Fiber Cable)

Item No	Description
---------	-------------

GD-J088A	With gap for cable diameter less than 2mm and FTTH drop cable 2.0x3.0mm\
GD-J088A	With gap for cable diameter less than 4mm
GD-J088A	Without gap for cable diameter less than 7mm

- Size:380(L)x245(W)X130(H)mm
- Inlet/outlet Ports:4/16
- With 4pcs 24C tray



GD-J088B



Fiber Optical Distribution Box(With 24 Hole fiber cable)

Item No	Description
---------	-------------


GD-J088B	With gap for cable diameter less than 2mm and FTTH drop cable 2.0x3.0mm
GD-J088B	With gap for cable diameter less than 4mm
GD-J088B	Without gap for cable diameter less than 7mm

- Size:380(L)x245(W)X170(H)mm
- Inlet/outlet Ports:4/24
- With 4pcs 24c tray



FIBER OPTIC SPLICE CLOSURE

GD-J088D



Fiber Optical Distribution Box(With 24 Hole fiber cable)

Item No	Description
---------	-------------

GD-J088D	With gap for cable diameter less than 2mm and FTTH drop cable 2.0x3.0mm
GD-J088D	With gap for cable diameter less than 4mm
GD-J088D	Without gap for cable diameter less than 7mm

- Size:380(L)x245(W)X130(H)mm
- Inlet/outlet Ports:2/24
- With 4pcs 24c tray



GD-J088E



Fiber Optical Distribution Box(With 32 Hole fiber cable)

Item No	Description
---------	-------------

GD-J088E	With gap for cable diameter less than 2mm and FTTH drop cable 2.0x3.0mm
GD-J088E	With gap for cable diameter less than 4mm
GD-J088E	Without gap for cable diameter less than 7mm

- Size:380(L)x245(W)X170(H)mm
- Inlet/outlet Ports:2/32
- With 4pcs 24c tray



GD-J088F



Fiber Optical Distribution Box (With 16 Hole Fiber Cable)

Item No	Description
---------	-------------


GD-J088F	16C SC interface connector box
----------	--------------------------------

- Size:380(L)x245(W)X170(H)mm
- Inlet/outlet Ports:4/16
- With 4pcs 24c tray



FIBER OPTIC SPLICE CLOSURE

GD-J001




96C Fiber Optic Splice Closure

Item No	Description
GD-J001-48C	With 2PCS 24C Splicing Tray
GD-J001-96C	With 4PCS 24C Splicing Tray

- Size: 390mm×185mm×90mm
- Material: PC/PP
- Ports: 3 inlet 3 outlet

GD-J002




48C Fiber Optic Splice Closure

Item No	Description
GD-J002-24C	With 2PCS 12C Splicing Tray
GD-J002-48C	With 4PCS 12C Splicing Tray

- Size: 410mm×180mm×80mm
- Material: PC
- Ports: 2 inlet 2 outlet

GD-J003



96C Fiber Optic Splice Closure

Item No	Description
GD-J003-24C	With 1PCS 24C Splicing Tray
GD-J003-48C	With 2PCS 24C Splicing Tray
GD-J003-96C	With 4PCS 24C Splicing Tray

- Size: 480mm×155mm×110mm
- Material: ABS/PP
- Ports: 2 inlet 2 outlet

FIBER OPTIC SPLICE CLOSURE

GD-J028



48/96C Fiber Optic Splice Closure

Item No	Description
GD-J028-24C	With 2PCS 12C Or 1PCS 24C Splicing Tray
GD-J028-48C	With 4PCS 12C Or 2PCS 24C Splicing Tray
GD-J028-96C	With 8PCS 12C Splicing Tray

- Size: 480mm×155mm×110mm
- Material: PP+GF
- Ports: 2 inlet 2 outlet
- Madidi Type

GD-J008



144C Fiber Optic Splice Closure

Item No	Description
GD-J008-96C	With 4PCS 24C Splicing Tray
GD-J008-144C	With 6PCS 24C Splicing Tray

- Size: 645mm×220mm×175mm
- Material: PP+GF
- Ports: 2 inlet 2 outlet
- Madidi Type


FIBER OPTIC SPLICE CLOSURE

GD-J004




144C Fiber Optic Splice Closure	
Item No	Description
GD-J004-48C	With 2PCS 24C Splicing Tray
GD-J004-96C	With 4PCS 24C Splicing Tray
GD-J004-144C	With 6PCS 24C Splicing Tray
■ Size: 460mm×190mm×115mm	
■ Material: PC/PP	
■ Ports: 2 inlet 2 outlet	

GD-J005



144C Fiber Optic Splice Closure	
Item No	Description
GD-J005-48C	With 2PCS 24C Splicing Tray
GD-J005-96C	With 4PCS 24C Splicing Tray
GD-J005-144C	With 6PCS 24C Splicing Tray
■ Size: 460mm×190mm×115mm	
■ Material: PC/PP	
■ Ports: 3 inlet 3 outlet	


GD-J006



144C Fiber Optic Splice Closure	
Item No	Description
GD-J006-48C	With 2PCS 24C Splicing Tray
GD-J006-96C	With 4PCS 24C Splicing Tray
GD-J006-144C	With 6PCS 24C Splicing Tray
■ Size: 460mm×190mm×115mm	
■ Material: PC/PP	
■ Ports: 4 inlet 4 outlet	


FIBER OPTIC SPLICE CLOSURE

GD-J007



24C Fiber Optic Splice Closure	
Item No	Description
GD-J007-12C	With 1PCS 12C Splicing Tray
GD-J007-24C	With 1PCS 24C Splicing Tray
■ Size: 220mm×220mm×45mm	
■ Material: ABS/PP	
■ Ports: 2 inlet 2 outlet	
■ Using Life ≥ 30Years	

GD-J009



24C Fiber Optic Splice Closure	
Item No	Description
GD-J009-12C	With 1PCS 12C Splicing Tray
GD-J009-24C	With 1PCS 24C Splicing Tray
■ Size: 248mm×156mm×33mm	
■ Material: PP+GF/PC	
■ Ports: 2 inlet 2 outlet	
■ For Both Wall Mounted and Aerial hinged type	


GD-J010



48C Fiber Optic Splice Closure	
Item No	Description
GD-J010-24C	With 4PCS 6C Splicing Tray
GD-J010-48C	With 4PCS 12C Splicing Tray
■ Size: 280mm×200mm×90mm	
■ Material: ABS	
■ Ports: 1 inlet 1 outlet	
■ For Both Wall Mounted and Aerial hinged type	

FIBER OPTIC SPLICE CLOSURE

GD-J011




96C Fiber Optic Splice Closure

Item No	Description
GD-J011-24C	With 1PCS 24C Splicing Tray
GD-J011-48C	With 2PCS 24C Splicing Tray
GD-J011-96C	With 4PCS 24C Splicing Tray

- Size: 430mm×200mm×120mm
- Material: PP+GF
- Ports: 2 inlet 8 outlet

GD-J012



96C Fiber Optic Splice Closure

Item No	Description
GD-J012-48C	With 2PCS 24C Splicing Tray
GD-J012-96C	With 4PCS 24C Splicing Tray

- Size: 340mm×160mm×70mm
- Material: PC
- Ports: 2 inlet 2 outlet

GD-J013



48C Fiber Optic Splice Closure

Item No	Description
GD-J013-24C	With 4pcs 6C Splicing Tray
GD-J013-48C	With 4PCS 12C Splicing Tray

- Size: 300mm×200mm×80mm
- Material: PC/PP
- Ports: 3 inlet 3 outlet

FIBER OPTIC SPLICE CLOSURE

GD-J014



144C Fiber Optic Splice Closure

Item No	Description
GD-J014-48C	With 2PCS 24C Splicing Tray
GD-J014-96C	With 4PCS 24C Splicing Tray
GD-J014-144C	With 6PCS 24C Splicing Tray

- Size: 430mm×190mm×140mm(110mm)
- Material: PC/ABS/PP
- Ports: 2 inlet 2 outlet / 3 inlet 3 outlet / 4 inlet 4outlet

GD-J015




48C Fiber Optic Splice Closure

Item No	Description
GD-J015-24C	With 2PCS 12C Splicing Tray
GD-J015-48C	With 4PCS 12C Splicing Tray

- Size: 330mm×220mm×105mm
- Material: PP+GF
- Ports: 1 inlet 1 outlet



GD-J016




96C Fiber Optic Splice Closure

Item No	Description
GD-J016-48C	With 4PCS 12C Splicing Tray
GD-J016-96C	With 8PCS 12C Splicing Tray

- Size: 500mm×230mm×110mm
- Material: PP+GF / PC
- Ports: 2 inlet 2 outlet

FIBER OPTIC SPLICE CLOSURE

GD-J017




96C Fiber Optic Splice Closure

Item No	Description
GD-J017-48C	With 2PCS 24C Splicing Tray
GD-J017-72C	With 3PCS 24C Splicing Tray
GD-J017-96C	With 4PCS 24C Splicing Tray

- Size: 445mm×220mm×110mm
- Material: PC/PP
- Ports: 3 inlet 3 outlet

GD-J018A



Fiber Optic Splice Closure

Item No	Description
GD-J018A-48C	With PLC Splitter Function

- Size: 600mm×190mm×100mm
- For 2pcs1x8 PLC splitter or 1x16 PLC splitter(tube type)
- Material: PC

GD-J018B



Fiber Optic Splice Closure

Item No	Description
GD-J018B-48C	With PLC Splitter Function

- Size: 600mm×190mm×100mm
- For 2pcs1x8 PLC splitter or 1x16 PLC splitter(tube type)
- Material: PC

FIBER OPTIC BOX-FTTH

GD-F201




2-6 Cores Optical Fiber Box

Item No	Description
GD-F201	2-6 Core FTTH Box

- Size: 205*140*40mm
- Waterproof Level:IP65
- Material: ABS

GD-F202



6 Cores FTTH Box

Item No	Description
GD-F202	6 Core FTTH Box

- Size:205*140*40mm
- Waterproof Level:IP65
- Material: PC+ABS

GD-F203A-SC



8 Cores FTTH Box

Item No	Description
GD-F203A-SC	For 8 PCS SC Simplex Adaptor

- Size:230*195*55mm
- Waterproof Level:IP65
- Material: ABS

GD-F203B-PLC



8 Cores FTTH Box

Item No	Description
GD-F203B-PLC	With 1PCS 1x8PLC

- Size:230*195*55mm
- Waterproof Level:IP65
- Material: ABS

GD-F204A-SC



24 Cores Outdoor FTTH Box

Item No	Description
GD-F204A-SC	24C FTTH Box (without sc Adptor)
- Size:330*275*100mm - Waterproof Level: IP65 - Material: ABS	


GD-F204B-PLC



16 Cores Outdoor FTTH Box

Item No	Description
GD-F204B-PLC	For 2PCS 1*8 PLC (sc type)
- Size:330*275*100mm - The box suit for 2PCS 1*8 PLC splitter - When order,please indicate - With or without PLC splitter	

GD-F205A-SC



12 Cores Outdoor FTTH Box

Item No	Description
GD-F205A-SC	12Core FTTH Box
- Size:260*210*90mm - For Both Cable Gland and Rubber Input	


GD-F205B-PLC



8 Cores Outdoor FTTH Box

Item No	Description
GD-F205B-PLC	8Core FTTH Box
- Size:260*210*90mm - For Both Cable Gland and Rubber Input	


GD-F206A-SC



16 Cores Outdoor FTTH Box

Item No	Description
GD-F206A-SC	16Core FTTH Box
- Size: 300*245*100mm - For Both Cable Gland and Rubber Input - Material: ABS	

GD-F206B-PLC



16 Cores Outdoor FTTH Box

Item No	Description
GD-F206B-PLC	16Core FTTH Box
- Size:300*245*100mm - For Both Cable Gland and Rubber Input - Material: ABS	

GD-F207A-SC



12 Cores FTTH Box

Item No	Description
GD-F207A-SC	12 Core FTTH Box
- Size:235*215*75mm - Waterproof Level:IP65 - Without SC adaptor	

GD-F207B-PLC



8 Cores FTTH Box

Item No	Description
GD-F207B-PLC	With 1PCS 1x8PLC
- Size:235*215*75mm - Waterproof Level:IP65 - Without PLC	

FIBER OPTIC BOX-FTTH

GD-F208A-SC



16 Cores FTTH Box

Item No	Description
GD-F208A-SC	For 12 PCS SC Simplex Adaptor
■ Size: 285mm×175mm×80mm	
■ Material: PC+ABS	
■ Color : Grey or Black	
■ Waterproof Level: IP65	

GD-F208B-PLC



16 Cores FTTH Box

Item No	Description
GD-F208B-PLC	With 2PCS 1X8 PLC
GD-F208B-PLC	With 1PCS 1X16 PLC
■ Size: 285mm×175mm×80mm	
■ Material: PC+ABS	
■ Color : Grey or Black	
■ Waterproof Level: IP65	

GD-F208C-SC



16 Cores Outdoor FTTH Box

Item No	Description
GD-F208C-SC	With 16 PCS SC Simplex Adaptor
■ Size: 285mm×175mm×80mm	
■ Material: PC+ABS	
■ Color : Grey or Black	
■ Waterproof Level: IP65	

GD-F209



Huawei SC Adaptor

16 Cores Outdoor FTTH Box

Item No	Description
GD-F209	With 16 PCS Huawei SC Simplex Adaptor
■ Size: 285 × 215 × 115mm	
■ Material: PC+ABS	

FIBER OPTIC BOX-FTTH

GD-F210A-SC



12 Cores FTTH Box

Item No	Description
GD-F210A-SC	12C FTTH Box for 12PCS SC Simplex Adaptor
■ Size: 235 × 200 × 60mm	
■ Material: PC+ABS	
■ Waterproof Level: IP65	

GD-F210B-PLC



8 Cores FTTH Box

Item No	Description
GD-F210B-PLC	With 1PCS 1X8 PLC
■ Size: 235 × 200 × 60mm	
■ Material: PC+ABS	
■ Waterproof Level: IP65	

GD-F211A-SC



24 Cores FTTH Box

Item No	Description
GD-F211A-SC	24C FTTH Box for 24PCS SC Simplex Adaptor
■ Size: 365 × 280 × 110mm	
■ Material: PC+ABS	
■ Waterproof Level: IP65	

GD-F211B-PLC



16 Cores FTTH Box

Item No	Description
GD-F211B-PLC	With 2PCS 1X8 PLC
GD-F211B-PLC	With 1PCS 1X16 PLC
■ Size: 365 × 280 × 110mm	
■ Material: PC+ABS	
■ Waterproof Level: IP65	

FIBER OPTIC BOX-FTTH

GD-F212A-SC



24 Cores FTTH Box

Item No	Description
GD-F212A-SC	24C FTTH Box for 24PCS SC Simplex Adaptor
■ Size: 365 × 280 × 110mm	
■ Material: PC+ABS/PP	

GD-F212B-PLC



16 Cores FTTH Box

Item No	Description
GD-F212B-PLC	With 2PCS 1X8 PLC
GD-F212B-PLC	With 1PCS 1X16 PLC
■ Size: 365 × 280 × 110mm	
■ Material: PC+ABS/PP	

GD-F213A-SC



24 Cores FTTH Box

Item No	Description
GD-F213A-SC	24C FTTH Box for 24PCS SC Simplex Adaptor
■ Size: 340 × 300 × 130mm	
■ Material: PC+ABS	

GD-F213B-PLC



16 Cores FTTH Box

Item No	Description
GD-F213B-PLC	With 2PCS 1X8 PLC
GD-F213B-PLC	With 1PCS 1X16 PLC
■ Size: 340 × 300 × 130mm	
■ Material: PC+ABS	

FIBER OPTIC BOX-FTTH

GD-F214A-SC



48 Cores Fiberoptic Outdoor FTTH Box

Item No	Description
GD-F214A-SC	48C FTTH Box for 48PCS SC Simplex Adaptor
■ Size: 420 × 350 × 130mm	
■ Material: PC+ABS	

GD-F214B-PLC



32 Cores Fiberoptic Outdoor FTTH Box

Item No	Description
GD-F214B-PLC	With 4PCS 1X8 PLC
GD-F214B-PLC	With 2PCS 1X16 PLC
■ Size: 420 × 350 × 130mm	
■ Material: PC+ABS	

GD-F215B-PLC



64 Cores Fiberoptic Outdoor FTTH Box

Item No	Description
GD-F215B-PLC	With 8PCS 1X8 PLC
GD-F215B-PLC	With 4PCS 1X16 PLC
GD-F215B-PLC	With 2PCS 2X32 PLC
■ Size: 420 × 350 × 160mm	
■ Material: PC+ABS	


GD-F216A-SC



72 Cores Fiberoptic Outdoor FTTH Box


Item No	Description
GD-F216A-SC	72C FTTH Box for 72PCS SC Simplex Adaptor
■ Size: 490 × 390 × 145mm	
■ Material: PC+ABS/SMC	

GD-F217A-PLC




16 Cores Outdoor FTTH Box	
Item No	Description
GD-F217A-PLC	With 2PCS 1X8 PLC Or 1PCS 1X16 PLC
- Size: 310 × 200 × 120mm - Material: ABS - Waterproof Level: IP65	

GD-F217B-SC



16 Cores Outdoor FTTH Box	
Item No	Description
GD-F217B-SC	With 12 PCS SC Simplex Adaptor
- Size: 310 × 200 × 120mm - Material: ABS - Waterproof Level: IP65	

GD-F217C-SC



16 Cores Outdoor FTTH Box	
Item No	Description
GD-F217C-SC	With 16 PCS SC Simplex Adaptor
- Size: 310 × 200 × 120mm - Material: ABS - Waterproof Level: IP65	

GD-F218




8 Cores Outdoor FTTH Box	
Item No	Description
GD-F218	With 8 PCS Huawei SC Simplex Adaptor
- Size: 295 × 185 × 110mm - Material: ABS - Suit for cassette splitter	

GD-F219



24 Cores Outdoor FTTH Box	
Item No	Description
GD-F219	With 24 PCS SC Simplex Adaptor
- Size: 340 × 220 × 105mm - Material: PC+ABS	

GD-F220



17 Ports FttH Box	
Item No	Description
GD-F220	17 PCS SC flange watertight joints
- Size: 340×220×105mm - Material: PC+ABS	

GD-F221




8 Cores Outdoor FTTH Box	
Item No	Description
GD-F221	With 8 PCS SC Simplex Adaptor
- Size: 200 × 125 × 50mm - Material: PC+ABS	

GD-F222



8 Cores Outdoor FTTH Box	
Item No	Description
GD-F222	With 8 PCS SC Simplex Adaptor
- Size: 235 × 125 × 50mm - Material: PC+ABS	

GD-F223




8 Cores FTTH Box

Item No Description

GD-F223 8Core FTTH Box

- Size: 210*215*55mm
- Waterproof Level:IP65
- Material: ABS

GD-F224A-SC



16 Cores FTTH Box

Item No Description

GD-F224A-SC For 16PCS SC simplex adaptor

- Size:300*220*80mm
- Waterproof Level:IP65
- Material: ABS
- For Both Cable Gland and Rubber Input

GD-F224B-PLC



16 Cores FTTH Box

Item No Description

GD-F224B-PLC With 2PCS 1x8PLC
GD-F224B-PLC With 1PCS 1x16PLC

- Size:300*220*80mm
- Waterproof Level:IP65
- Material: ABS
- For Both Cable Gland and Rubber Input

GD-F224C-SC



16 Cores Outdoor FTTH Box

Item No Description

GD-F224C-SC With 16 PCS SC Simplex Adaptor
GD-F224C-PLC With 2PCS 1X8 PLC or 1PCS 1X16 PLC

- Size:300*220*80mm
- Waterproof Level:IP65
- Material: ABS

GD-F225A-SC



24 Cores FTTH Box

Item No Description

GD-F225A-SC For 24 PCS SC Simplex Adaptor

- Size: 330mm×245mm×100mm
- Material: PC+ABS

GD-F225B-PLC



16 Cores FTTH Box

Item No Description

GD-F225B-PLC With 2PCS 1X8 PLC
GD-F225B-PLC With 1PCS 1X16 PLC

- Size: 330mm×245mm×100mm
- Material: PC+ABS

GD-F226



16 Cores Outdoor FTTH Box

Item No Description

GD-F226 With 16 PCS Huawei SC Simplex Adaptor

- Size: 343×303×98mm
- Material: PC+ABS

FIBER OPTIC BOX-FTTH

GD-F227A-SC



16 Cores Outdoor FTTH Box

Item No	Description
GD-F227A-SC	For 16 PCS SC Simplex Adaptor
- Size: 290 × 210 × 82mm - Material: PC+ABS - Inlet Cable Size: 12-15mm - Inlet: 1 uncut cable port and 2 cable glands - Outlet: 16 for outlet	

GD-F227B-SC



16 Cores Outdoor FTTH Box

Item No	Description
GD-F227B-SC	For 16 PCS SC Simplex Adaptor
- Size: 290 × 210 × 82mm - Material: PC+ABS - Inlet Cable Size: 12-15mm - Inlet: 1 uncut cable port and 2 cable glands - Outlet: 16 for outlet	

GD-F227C-PLC




16 Cores Outdoor FTTH Box

Item No	Description
GD-F227C-PLC	With 2 PCS 1x8PLC
GD-F227C-PLC	With 1 PCS 1x16PLC
- Size: 290 × 210 × 82mm - Material: PC+ABS - Inlet Cable Size: 12-15mm - Inlet: 1 uncut cable port and 2 cable glands - Outlet: 16 for outlet	

FIBER OPTIC TERMINATION BOX

GD-Z001



2 Or 4 Cores Fiber Optic Termination Box

Item No	Description
GD-Z001-A	2Core FTTH Box
GD-Z001-B	4Core FTTH Box
- A Size: 94*45*11mm - B Size: 94*68*11mm - Waterproof: IP65	

GD-Z002



1 Cores Fiber Optic Termination Box

Item No	Description
GD-Z002	1Core FTTH Box
- Size: 120*90*24mm - Box Suitable 1PC SC Simplex Adaptor - Adapter type: SC/LC/FC - Inlter cable: 3.0x2.0mm drop cable or indoor cable	

GD-Z003



2 Cores Fiber Optic Termination Box

Item No	Description
GD-Z003	2 Core FTTH Box
- Size: 135*90*26mm - Adapter type: SC/LC/FC - Inlter cable: 3.0x2.0mm drop cable or indoor cable	

GD-Z004



2 Cores Fiber Optic Termination Box

Item No	Description
GD-Z004	2 Core FTTH Box
- Size: 100*84*25mm - Adapter type: SC/LC/FC - Inlter cable: 3.0x2.0mm drop cable or indoor cable	

FIBER OPTIC TERMINATION BOX

GD-Z005



1/2 Cores Fiber Optic Termination Box

Item No	Description
---------	-------------

GD-Z005	1/2 Core FTTH Box
---------	-------------------

- Size: 116*86*23mm
- Adapter type: SC/LC/FC
- Inlter cable: 3.0x2.0mm drop cable or indoor cable



GD-Z006



2 Cores Fiber Optic Termination Box

Item No	Description
---------	-------------

GD-Z006	2 Core FTTH Box
---------	-----------------

- Size: 102*79*25mm
- Adapter type: SC/LC/FC
- Inlter cable: 3.0x2.0mm drop cable or indoor cable

GD-Z007



2 Cores Fiber Optic Termination Box

Item No	Description
---------	-------------

GD-Z007	2 Core FTTH Box
---------	-----------------

- Size: 100*80*30mm
- Adapter type: SC/LC/FC
- Inlter cable: 3.0x2.0mm drop cable or indoor cable

FIBER OPTIC TERMINATION BOX

GD-Z008



4 Cores Fiber Optic Termination Box

Item No	Description
---------	-------------

GD-Z008	4 Core FTTH Box
---------	-----------------

- Size: 100*84*30mm
- Adapter type: SC/LC/FC
- Inlter cable: 3.0x2.0mm drop cable or indoor cable

GD-Z009



4 Cores Fiber Optic Termination Box

Item No	Description
---------	-------------

GD-Z009	4 Core FTTH Box
---------	-----------------

- Size: 150*120*30mm
- Adapter type: SC/LC/FC
- Inlter cable: 3.0x2.0mm drop cable or indoor cable

GD-Z010




8 Cores Fiber Optic Termination Box

Item No	Description
---------	-------------

GD-Z010	8 Core FTTH Box
---------	-----------------

- Size: 205*120*30mm
- Adapter type: SC/LC/FC
- Inlter cable: 3.0x2.0mm drop cable or indoor cable


GD-M001-A



SMC 12 Cores Fiber Box

Item No	Description
GD-M001-A	For 12PCS SC Simplex Adaptor
■ Size: 310 × 245 × 90mm	
■ Material: SMC	

GD-M001-B



SMC 8 Cores Fiber Box

Item No	Description
GD-M001-B	With 1PCS 1X8 PLC
■ Size: 310 × 245 × 90mm	
■ Material: SMC	

GD-M002-A



SMC 24 Cores Fiber Box

Item No	Description
GD-M002-A	For 24PCS SC Simplex Adaptor
■ Size: 380 × 290 × 110mm	
■ Material: SMC	

GD-M002-B



SMC 16 Cores Fiber Box

Item No	Description
GD-M002-B	With 2PCS 1X8 PLC
GD-M002-B	With 1PCS 1X16 PLC
■ Size: 380 × 290 × 110mm	
■ Material: SMC	

GD-M005-A



SMC 24 Cores Fiber Box

Item No	Description
GD-M005-A	For 24PCS SC Simplex Adaptor
■ Size: 420 × 350 × 110mm	
■ Material: SMC	

GD-M005-B



SMC 16 Cores Fiber Box

Item No	Description
GD-M005-B	With 2PCS 1X8 PLC
GD-M005-B	With 1PCS 1X16 PLC
■ Size: 420 × 350 × 110mm	
■ Material: SMC	

GD-M003-B



SMC 32 Cores Fiber Box

Item No	Description
GD-M003-B	With 4PCS 1X8 PLC
GD-M003-B	With 2PCS 1X16 PLC
GD-M003-B	With 1PCS 1X32 PLC
■ Size: 420 × 350 × 160mm	
■ Material: SMC	

GD-M012-B



SMC 16 Cores Fiber Box

Item No	Description
GD-M012-B	With 2PCS 1X8 PLC
GD-M012-B	With 1PCS 1X16 PLC
■ Size: 400 × 310 × 135mm	
■ Material: SMC	

GD-M011-A



SMC 48 Cores Fiber Box	
Item No	Description
GD-M011-A	For 48PCS SC Simplex Adaptor
■ Size: 475 × 365 × 135mm	
■ Material: SMC	

GD-M011-B



SMC 32 Cores Fiber Box	
Item No	Description
GD-M011-B	With 4PCS 1X8 PLC
GD-M011-B	With 2PCS 1X16 PLC
GD-M011-B	With 1PCS 1X32 PLC
■ Size: 475 × 365 × 135mm	
■ Material: SMC	

GD-M015-B



SMC 32 Cores Fiber Box	
Item No	Description
GD-M015-B	With 4PCS 1X8 PLC
GD-M015-B	With 2PCS 1X16 PLC
GD-M015-B	With 1PCS 1X32 PLC
■ Size: 520 × 400 × 115mm	
■ Material: SMC	

GD-M016-B



SMC 64 Cores Fiber Box	
Item No	Description
GD-M016-B	With 8PCS 1X8 PLC
GD-M016-B	With 4PCS 1X16 PLC
GD-M016-B	With 2PCS 1X32 PLC
■ Size: 520 × 400 × 175mm	
■ Material: SMC	

GD-M017-A



SMC 72 Cores Fiber Box	
Item No	Description
GD-M017-A	For 72PCS SC Simplex Adaptor
■ Size: 490 × 405 × 160mm	
■ Material: SMC	

GD-M017-B



SMC 64 Cores Fiber Box	
Item No	Description
GD-M017-B	With 8PCS 1X8 PLC
GD-M017-B	With 4PCS 1X16 PLC
GD-M017-B	With 2PCS 1X32 PLC
■ Size: 490 × 405 × 160mm	
■ Material: SMC	

GD-M020



SMC 96 Cores Fiber Box	
Item No	Description
GD-M020	With 8PLS 12C Mini Integrated Tray
■ Size: 620 × 540 × 170mm	
■ Material: SMC	

FIBER OPTIC CABINET

GD-M081



96 Core SMC Outdoor Fiber Optic Cabinet

Item No	Description
GD-M081	96 Core SMC Outdoor Fiber Optic Cabinet
■ Size:840*450*280mm	
■ Material: SMC	



GD-M082



144 Core SMC Outdoor Fiber Optic Cabinet

Item No	Description
GD-M082	144 Core SMC Outdoor Fiber Optic Cabinet
■ Size:1050*550*310mm	
■ Material: SMC	



FIBER OPTIC CABINET

GD-M083



288 Core SMC Outdoor Fiber Optic Cabinet

Item No	Description
GD-M083	288 Core SMC Outdoor Fiber Optic Cabinet
■ Size:1450*750*350mm	
■ Material: SMC	



GD-M084



576 Core SMC Outdoor Fiber Optic Cabinet

Item No	Description
GD-M084	576 Core SMC Outdoor Fiber Optic Cabinet
■ Size:1450*750*520mm	
■ Material: SMC	



FACEPLATE

GD-S001



FacePlate
Size:86*86mm
Suitable For RJ45 KeysGDOne jack add(E) suitable For sc lc

GD-S002



FacePlate
Size:70*118mm
Suitable For RJ45 KeysGDOne jack add(F) suitable For sc lc

GD-S003



Fiber Faceplate Inclined
Size:86*86mm

GD-S004



Fiber Optic Termination box

FACEPLATE

GD-S005



GD-S006



GD-S007



GD-S008



GD-S009



GD-S010



GD-S011




GD-S012



ACCESSORIES

GD-A001



GD-A002




GD-A003




GD-A004



GD-A005




GD-A006




GD-A007




GD-A008



GD-A009




GD-A010



GD-A011



GD-A012




ACCESSORIES


GD-A013



GD-A014



GD-A015



GD-A016



GD-A017



1x8 SC/UPC
Insertion type PLC Splitter

GD-A018



1x8 SC/APC
Insertion type PLC Splitter

GD-A019



1x16 SC/APC
Insertion type PLC Splitter

GD-A020



1x32 SC/APC
Insertion type PLC Splitter

ACCESSORIES

GD-A021



1x4 SC/APC
cassette PLC Splitter

GD-A022



1x4 SC/UPC
cassette PLC Splitter

GD-A023



1x2 Mini PLC Splitter

GD-A024



1x8 SC/APC
Mini PLC Splitter

GD-A025



FC-SC Patch Cord

GD-A026



FC/APC-SC/APC
Patch Cord

GD-A027



FC/APC-FC/APC
Patch Cord

GD-A028



12 core SC
optic fiber pigtail cord

ACCESSORIES

GD-A029



GD-A030



GD-A031




GD-A032



GD-A033



GD-A034



GD-A035




GD-A036




ACCESSORIES

GD-A037



GD-A038



GD-A039




GD-A040




GD-A041



GD-A042



GD-A043



GD-A044



GD-A045



GD-A046



GD-A047



GD-A048




FTTH是接入网的终极目标, 能为用户提供高宽带。对于高层楼宇、多层楼宇、别墅住宅分别有不同的解决方案。

FTTH wiring solution, FTTH is final target of entering network and can provide high broad band to cuGDomer. There are different solution for high-rise building, and villa residence.

对于高层楼宇采用: 楼底配线室使用分光模块的大容量ODF进行分光, 再引入到楼层箱, 再分别引入用户, 使用ONU接入箱。
Adapt for high-rise building: the wiring room at building bottom uses big capacity ODF (Optical Distribution Frame) with spectral module to carry out light splitting, and then lead to floor box and lead into cuGDomer individually, use ONU connection box.

对于多层楼宇采用: 在小区附近的光缆交接箱处进行分光, 再引入到大楼的光纤配线箱处, 在配线箱处进行二次分光, 最后引入用户, 同样使用ONU接入箱。
Adapt for multiGDorey building: light splitting can be carried out at optical cable transfer box near residential eGDater, then lead to building optical fiber diGDribution box, the second ligh splitting can be carried out at wiring box and lead into cuGDomer individually muse ONU connection box too.

对于别墅住宅采用: 带分光器的光缆接头盒将光纤引入到别墅区附近, 再引入到各家各户, 使用用户终端盒接入到ONU接入箱。
Adapt for villa residence: optical cable connecting box with optical splitter will lead optical fiber to near of villa residence and lead it to every home, using cuGDomer terminal box to connect to ONU connection box.



ACCESSORIES