



# Test Report

Report No : TST20250200648E

Date: Feb.17, 2025

Page 1 of 17

**Applicant** : DYS FIBER OPTIC LIMITED  
**Address** : 16-17#,Zhong Nan High Tech Industrial Park,Shuikou Street, Huicheng District, Huizhou City  
516005,GuangDong Province,PRC  
**Manufacturer** : DYS FIBER OPTIC LIMITED  
**Address** : 16-17#,Zhong Nan High Tech Industrial Park,Shuikou Street, Huicheng District, Huizhou City  
516005,GuangDong Province,PRC

The following sample(s) was /were submitted and identified on behalf of the clients as :

**Sample Name** : Fiber Optic Adapter\Fiber Optic Attenuator  
**Sample Description** : 1.LC Duplex, Zinc Alloy, Split Type 2.SC Single, PC, Split Type 3.SC Duplex, PC, Split Type 4.LC Duplex,PIE, Split Type 5. LC Four-Port ,PEI,Integrated 6.LC \ SM \ Yin-Yang (or Male-Female) Type 7.SC \ SM \ Yin-Yang (or Male-Female) Type  
**Model No.** : 1.Mother Mother \ SC Type \ Silver \ Ears \ Ceramic \ White Dust Cap, Metal Bullets \ Chamfered 2.Mother Mother \ SC Type \ Blue \ Ears \ Ceramic \ Blue Dust Cap, Metal Bullet 3.Mother Mother \ SC Type \ Sea Blue \ Ears \ Ceramic \ Sea Blue Dust Cap, Metal Bullet 4.Mother Mother \ RJ45 Type \ Beige \ Earless \ Ceramic \ White Dust Cap, Plastic Bullets \ Chamfered End, Window End 5.Mother Mother \ SC Type \ Blue \ Ears \ Ceramic \ White Dust Cap, Metal Bullets \ Chamfered, with Window 6. 1dB \ Blue \ Plastic 7. 1dB \ Silver \ Zinc Alloy  
**Sample Received Date** : Feb.11, 2025  
**Testing Period** : Feb.11, 2025 To Feb.17, 2025  
**Test Requested** : Screening tests for 247 substances of high concern (SVHC) were carried out based on the candidate list of substances of high Concern for authorization consideration published by the European Chemicals Agency until 21 January 2025(in accordance with EU REACH Regulation 1907/2006).  
**Test Method** : Please refer to next page(s).  
**Test Result** : Please refer to next page(s).

<b>Summary</b> : According to the specified scope and evaluation screening, the test results of SVHC are $\leq 0.1\%$ (w/w) in the submitted sample.	PASS
--	------

Signed for and on behalf of



Scan QR code  
verification of authenticity

Security Code : LJXWB95YV

**Andy Zheng**  
Technical Director

This report shall not be altered,increased or deleted.The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement.TST is not responsible for the authenticity of the information provided by the customer, including sample information.Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel:+86-0769-85088050

Fax:+86-0769-81221086

E-mail: :tst@tst-test.com

Http:www.tst-test.com



# Test Report

Report No : TST20250200648E

Date: Feb.17, 2025

Page 2 of 17

No.	Test Item	CAS No.	MDL(%)	Result (%)	
				A	B
1	Anthracene	120-12-7	0.01	N.D.	--
2	4,4'-Diaminodiphenylmethane	101-77-9	0.01	N.D.	--
3	Dibutyl phthalate (DBP)	84-74-2	0.01	N.D.	--
4	5-tert-butyl-2,4,6-trinitro-m-Xylene(musk xylene)	81-15-2	0.01	N.D.	--
5	Diisooctyl Phthalate (DEHP)	117-81-7	0.01	N.D.	--
6	Hexabromocyclododecane (HBCDD)	25637-99-4 3194-55-6 (134237-51-7, 34237-50-6, 134237-52-8)	0.01	N.D.	--
7	Alkanes,C10-13,chloro(Short Chain Chlorinated Paraffins)	85535-84-8	0.01	N.D.	--
8	Benzyl butyl phthalate (BBP)	85-68-7	0.01	N.D.	--
9	Bis(tributyltin)oxide*	56-35-9	0.01	N.D.	--
10	Cobalt dichloride**	7646-79-9	0.01	N.D.	N.D.
11	Diarsenic pentaoxide**	1303-28-2	0.01	N.D.	N.D.
12	Diarsenic trioxide**	1327-53-3	0.01	N.D.	N.D.
13	Triethyl arsenate**	15606-95-8	0.01	N.D.	N.D.
14	Lead hydrogen arsenate**	7784-40-9	0.01	N.D.	N.D.
15	Sodium dichromate, dihydrate**	10588-01-9	0.01	N.D.	N.D.
16	Anthracene oil	90640-80-5	0.01	N.D.	--
17	Anthracene oil, anthracene paste, distn. Lights	91995-17-4	0.01	N.D.	--
18	Anthracene oil, anthracene paste, anthracene fraction	91995-15-2	0.01	N.D.	--
19	Anthracene oil, anthracene-low	90640-82-7	0.01	N.D.	--
20	Anthracene oil, anthracene paste	90640-81-6	0.01	N.D.	--
21	Diisobutyl phthalate	84-69-5	0.01	N.D.	--
22	2,4-Dinitrotoluene	121-14-2	0.01	N.D.	--

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel: +86-0769-85088050

Fax: +86-0769-81221086

E-mail: :tst@tst-test.com

Http: www.tst-test.com





# Test Report

Report No : TST20250200648E

Date: Feb.17, 2025

Page 3 of 17

No.	Test Item	CAS No.	MDL(%)	Result (%)	
				A	B
23	coal tar pitch,high temperature	65996-93-2	0.01	N.D.	--
24	tris(2-chloroethyl)phosphate	115-96-8	0.01	N.D.	--
25	Lead sulfochromate yellow (C.I. Pigment Yellow 34)	1344-37-2	0.01	N.D.	N.D.
26	Lead chromate molybdate sulfate red (C.I. Pigment Red 104)	12656-85-8	0.01	N.D.	N.D.
27	Lead chromate	7758-97-6	0.01	N.D.	N.D.
28	Acrylamide	79-06-1	0.01	N.D.	--
29	Trichloroethylene	79-01-6	0.01	N.D.	--
30	Boric acid	11113-50-1	0.01	N.D.	N.D.
31	Disodium tetraborate, anhydrou	12179-04-3	0.01	N.D.	N.D.
32	tetraboron disodium heptaoxide hydrate	12267-73-1	0.01	N.D.	N.D.
33	Sodium chromate	7775-11-3	0.01	N.D.	N.D.
34	Potassium chromate	7789-00-6	0.01	N.D.	N.D.
35	Ammonium dichromate	7789-09-5	0.01	N.D.	N.D.
36	Potassium dichromate	7778-50-9	0.01	N.D.	N.D.
37	Cobalt sulfate	10124-43-3	0.01	N.D.	N.D.
38	Cobalt dinitrat	10141-05-6	0.01	N.D.	N.D.
39	Cobalt carbonate	513-79-1	0.01	N.D.	N.D.
40	Cobalt diacetate	71-48-7	0.01	N.D.	N.D.
41	2-Methoxyethanol	109-86-4	0.01	N.D.	--
42	2-Ethoxyethanol	110-80-5	0.01	N.D.	--
43	Chromium trioxide	1333-82-0	0.01	N.D.	N.D.
44	Chromic acid	7738-94-5	0.01	N.D.	N.D.
45	Dichromic acid	13530-68-2	0.01	N.D.	--
	Oligomers of chromicacid and dichromic acid	--			
	2- ethoxyethyl acetate	111-15-9			

This report shall not be altered,increased or deleted.The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement.TST is not responsible for the authenticity of the information provided by the customer, including sample information.Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel:+86-0769-85088050

Fax:+86-0769-81221086

E-mail: :tst@tst-test.com

Http:www.tst-test.com





# Test Report

Report No : TST20250200648E

Date: Feb.17, 2025

Page 4 of 17

No.	Test Item	CAS No.	MDL(%)	Result (%) A	Result (%) B
46	strontium chromate	7789-06-2	0.01	N.D.	N.D.
47	1,2-Benzenedicarboxylic acid, di-(C7-11)-branched and linear alkylesters	68515-42-4	0.01	N.D.	--
48	Hydrazine	7803-57-8 302-01-2	0.01	N.D.	--
49	1-Methyl-2-pyrrolidinone	872-50-4	0.01	N.D.	--
50	1,2,3-trichloropropane	96-18-4	0.01	N.D.	--
51	1,2-Benzenedicarboxylic acid, di-(C7-11)-branched and linear alkyl esters, C7-rich	71888-89-6	0.01	N.D.	--
52	Zirconia Aluminosilicate Refractory Ceramic Fibres	--	0.01	N.D.	N.D.
53	Calcium arsenate	7778-44-1	0.01	N.D.	N.D.
54	Bis(2-methoxyethyl) ether	111-96-6	0.01	N.D.	--
55	Aluminosilicate Refractory Ceramic Fibres	--	0.01	N.D.	N.D.
56	Chromate, hydroxyoctaoxodizincatedi-, potassium	11103-86-9	0.01	N.D.	N.D.
57	Lead dipicrate	6477-64-1	0.01	N.D.	N.D.
58	N,N-dimethylacetamide	127-19-5	0.01	N.D.	--
59	Arsenic acid	7778-39-4	0.01	N.D.	N.D.
60	2-Methoxyaniline; o-Anisidine	90-04-0	0.01	N.D.	--
61	Trilead diarsenate	3687-31-8	0.01	N.D.	N.D.
62	1,2-dichloroethane	107-06-2	0.01	N.D.	--
63	Pentazinc chromate octahydroxide	49663-84-5	0.01	N.D.	N.D.
64	4-(1,1,3,3-tetramethylbutyl)phenol	140-66-9	0.01	N.D.	--
65	Formaldehyde, oligomeric reaction products aniline	25214-70-4	0.01	N.D.	--
66	Bis(2-methoxyethyl) phthalate	117-82-8	0.01	N.D.	--
67	Lead diazide, Lead azide	13424-46-9	0.01	N.D.	N.D.
68	Lead styphnate	15245-44-0	0.01	N.D.	N.D.

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel: +86-0769-85088050

Fax: +86-0769-81221086

E-mail: :tst@tst-test.com

Http: www.tst-test.com



# Test Report

Report No : TST20250200648E

Date: Feb.17, 2025

Page 5 of 17

No.	Test Item	CAS No.	MDL(%)	Result (%) A	Result (%) B
69	2,2'-dichloro-4,4'-methylenedianiline	101-14-4	0.01	N.D.	--
70	Phenolphthalein	77-09-8	0.01	N.D.	--
71	Dichromium tris(chromate)	24613-89-6	0.01	N.D.	N.D.
72	1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)	112-49-2	0.01	N.D.	--
73	1,2-dimethoxyethane;ethylene glycol dimethyl ether (EGDME)	110-71-4	0.01	N.D.	--
74	Diboron trioxide	1303-86-2	0.01	N.D.	N.D.
75	Formamide	75-12-7	0.01	N.D.	--
76	Lead(II)bis(methanesulfonate)	17570-76-2	0.01	N.D.	N.D.
77	TGIC(1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2, 4,6(1H,3H,5H)-trione)	2451-62-9	0.01	N.D.	--
78	$\beta$ -TGIC(1,3,5-tris [(2Sand2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4, 6-(1H,3H,5H)-trione)	59653-74-6	0.01	N.D.	--
79	4,4'-bis(dimethylamino) benzophenone(Michler's ketone)	90-94-8	0.01	N.D.	--
80	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1	0.01	N.D.	--
81	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Violet 3)	548-62-9	0.01	N.D.	--
82	[4-[[4-anilino-1-naphthyl] [4-(dimethylamino)phenyl]methylene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26)	2580-56-5	0.01	N.D.	--
83	$\alpha,\alpha$ -Bis[4-(dimethylamino)phenyl] -4 (phenylamino)naphthalene -1-methanol (C.I. Solvent Blue 4)	6786-83-0	0.01	N.D.	--
84	4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol	561-41-1	0.01	N.D.	--

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel:+86-0769-85088050

Fax:+86-0769-81221086

E-mail: :tst@tst-test.com

Http:www.tst-test.com





# Test Report

Report No : TST20250200648E

Date: Feb.17, 2025

Page 6 of 17

No.	Test Item	CAS No.	MDL(%)	Result (%) A	Result (%) B
85	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	0.01	N.D.	--
86	4-methyl-m-phenylenediamine (2,4-toluene-diamine)	95-80-7	0.01	N.D.	--
87	N-methylacetamide	79-16-3	0.01	N.D.	--
88	Pentalead tetraoxide sulphate	12065-90-6	0.01	N.D.	N.D.
89	Biphenyl-4-ylamine	202-177-1	0.01	N.D.	--
90	Dinoseb	88-85-7	0.01	N.D.	--
91	Dioxobis(stearato)trilead	12578-12-0	0.01	N.D.	N.D.
92	Lead dinitrate	10099-74-8	0.01	N.D.	N.D.
93	Tetralead trioxide sulphate	12202-17-4	0.01	N.D.	N.D.
94	Lead oxide (lead monoxide)	1317-36-8	0.01	N.D.	N.D.
95	Lead titanium trioxide	12060-00-3	0.01	N.D.	N.D.
96	4,4'-methylenedi-o-toluidine	838-88-0	0.01	N.D.	--
97	Acetic acid, lead salt, basic	51404-69-4	0.01	N.D.	N.D.
98	Dimethyl sulphate	77-78-1	0.01	N.D.	--
99	Furan	110-00-9	0.01	N.D.	--
100	Pyrochlore, antimony lead yellow	8012-00-8	0.01	N.D.	--
101	Tetraethyllead	78-00-2	0.01	N.D.	N.D.
102	[Phthalato(2-)]dioxotrilead	69011-06-9	0.01	N.D.	N.D.
103	Diethyl sulphate	64-67-5	0.01	N.D.	--
104	Lead cyanamidate	20837-86-9	0.01	N.D.	N.D.
105	Silicic acid, barium salt, lead-doped	68784-75-8	0.01	N.D.	N.D.
106	Trilead dioxide phosphonate	12141-20-7	0.01	N.D.	N.D.
107	o-Toluidine; 2-Aminotoluene	95-53-4	0.01	N.D.	--
108	o-aminoazotoluene	97-56-3	0.01	N.D.	--
109	4-Aminoazobenzene; 4-Phenylazoaniline	60-09-03	0.01	N.D.	--

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel: +86-0769-85088050

Fax: +86-0769-81221086

E-mail: :tst@tst-test.com

Http: www.tst-test.com





# Test Report

Report No : TST20250200648E

Date: Feb.17, 2025

Page 7 of 17

No.	Test Item	CAS No.	MDL(%)	Result (%) A	Result (%) B
110	6-methoxy-m-toluidine (p-cresidine)	120-71-8	0.01	N.D.	--
111	Dibutyltin dichloride (DBT)	683-18-1	0.01	N.D.	--
112	Lead Titanium Zirconium Oxide	12626-81-2	0.01	N.D.	N.D.
113	Propylene oxide; 1,2-epoxypropane; methyloxirane	75-56-9	0.01	N.D.	--
114	1-bromopropane	106-94-5	0.01	N.D.	--
115	Basic lead carbonate (trilead bis(carbonate)dihydroxide)	1319-46-6	0.01	N.D.	N.D.
116	Fatty acids, C16-18, lead salts	91031-62-8	0.01	N.D.	N.D.
117	Lead tetroxide (orange lead)	1314-41-6	0.01	N.D.	N.D.
118	Sulfurous acid, lead salt, dibasic	62229-08-7	0.01	N.D.	N.D.
119	4,4'-oxydianiline and its salts	101-80-4	0.01	N.D.	--
120	lead oxide sulphate	12036-76-9	0.01	N.D.	N.D.
121	Lead bis(tetrafluoroborate)	13814-96-6	0.01	N.D.	N.D.
122	Silicic acid, lead salt	11120-22-2	0.01	N.D.	N.D.
123	Bis(pentabromophenyl) ether (DecaBDE)	1163-19-5	0.01	N.D.	--
124	4-Nonylphenol, branched and linear - substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof	--	0.01	N.D.	--
125	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3	0.01	N.D.	--
126	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated - covering well-defined substances and UVCB substances, polymers and homologues	--	0.01	N.D.	--
127	1,2-Diethoxyethane	629-14-1	0.01	N.D.	--
128	Hexahydromethylphthalic anhydride	25550-51-0	0.01	N.D.	--

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel:+86-0769-85088050

Fax:+86-0769-81221086

E-mail: :tst@tst-test.com

Http:www.tst-test.com



# Test Report

Report No : TST20250200648E

Date: Feb.17, 2025

Page 8 of 17

No.	Test Item	CAS No.	MDL(%)	Result (%) A	Result (%) B
	Hexahydro-4-methylphthalic anhydride Hexahydro-1-methylphthalic anhydride Hexahydro-3-methylphthalic anhydride	19438-60-9 48122-14-1 57110-29-9			
129	Cyclohexane-1,2-dicarboxylic anhydride (Hexahydrophthalic anhydride - HHPA)	85-42-7	0.01	N.D.	--
130	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	0.01	N.D.	--
131	N-pentyl-isopentylphthalate	--	0.01	N.D.	--
132	Heptacosafuorotetradecanoic acid	376-06-7	0.01	N.D.	--
133	Pentacosafuorotridecanoic acid	72629-94-8	0.01	N.D.	--
134	Henicosafuoroundecanoic acid	2058-94-8	0.01	N.D.	--
135	Tricosafuorododecanoic acid	307-55-1	0.01	N.D.	--
136	Methoxy acetic acid	625-45-6	0.01	N.D.	--
137	Diisopentylphthalate	605-50-5	0.01	N.D.	--
138	N,N-dimethylformamide; dimethyl formamide	68-12-2	0.01	N.D.	--
139	Cadmium	7440-43-9	0.01	N.D.	N.D.
140	Cadmium oxide	1306-19-0	0.01	N.D.	N.D.
141	Dipentyl phthalate (DPP)	131-18-0	0.01	N.D.	--
142	4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	--	0.01	N.D.	--
143	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	0.01	N.D.	--
144	Pentadecafluorooctanoic acid (PFOA)	335-67-1	0.01	N.D.	--
145	Cadmium Sulfide	1306-23-6	0.01	N.D.	N.D.
146	Di-N-Hexyl Phthalate	84-75-3	0.01	N.D.	--

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel: +86-0769-85088050

Fax: +86-0769-81221086

E-mail: :tst@tst-test.com

Http: www.tst-test.com



# Test Report

Report No : TST20250200648E

Date: Feb.17, 2025

Page 9 of 17

No.	Test Item	CAS No.	MDL(%)	Result (%) A	Result (%) B
147	Direct Red 28	573-58-0	0.01	N.D.	--
148	Direct Black 38	1937-37-7	0.01	N.D.	--
149	Ethlenethiourea	96-45-7	0.01	N.D.	--
150	Acetic Acid	301-04-2	0.01	N.D.	N.D.
151	Trixylyl Phosphate	25155-23-1	0.01	N.D.	--
152	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4.	0.01	N.D.	--
153	Cadmium chloride	10108-64-2.	0.01	N.D.	N.D.
154	Sodium perborate; perboric acid, sodium salt	--	0.01	N.D.	N.D.
155	Sodium peroxometaborate	7632-4-4	0.01	N.D.	N.D.
156	2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	0.01	N.D.	N.D.
157	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)	15571-58-1	0.01	N.D.	N.D.
158	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	--	0.01	N.D.	--
159	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	0.01	N.D.	--
160	Cadmium fluoride	7790-79-6	0.01	N.D.	--
161	Cadmium sulphate	10124-36-4, 31119-53-6	0.01	N.D.	--
162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with≥0.3% of dihexyl phthalate	68515-51-5, 68648-93-1	0.01	N.D.	--
163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane[1],	--	0.01	N.D.	--

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel:+86-0769-85088050

Fax:+86-0769-81221086

E-mail: :tst@tst-test.com

Http:www.tst-test.com





# Test Report

Report No : TST20250200648E

Date: Feb.17, 2025

Page 10 of 17

No.	Test Item	CAS No.	MDL(%)	Result (%) A	Result (%) B
	5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane[2] [covering any of the individual isomers of [1] and [2] or any combination thereof]				
164	Nitrobenzene	98-95-3	0.01	N.D.	--
165	4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol	3864-99-1	0.01	N.D.	--
166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol	136437-37-3	0.01	N.D.	--
167	3-propanesultone	1120-71-4	0.01	N.D.	--
168	Perfluorononan-1-oic acid	375-95-1 21049-39-8 4149-60-4	0.01	N.D.	--
169	Benzo(a)pyrene	50-32-8	0.01	N.D.	--
170	Bisphenol A	80-05-7	0.01	N.D.	--
171	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	335-76-2	0.01	N.D.	--
172	4-heptylphenol, branched and linear(4-HPbl)	--	0.01	N.D.	--
173	4-tert-Amylphenol (PTAP)	80-46-6	0.01	N.D.	--
174	Perfluorohexane-1-sulfonic acid and its salts (PFHxS)	--	0.01	N.D.	--
175	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene("DechloranePlus"™)[covering any of its individual anti- and syn-isomers or any combination thereof].	--	0.01	N.D.	--
176	Benz[a]anthracene	56-55-3	0.01	N.D.	--
177	Cadmium nitrate	10325-94-7	0.01	N.D.	N.D.
178	Cadmium carbonate	513-78-0	0.01	N.D.	N.D.
179	Cadmium hydroxide	21041-95-2	0.01	N.D.	N.D.
180	Chrysene	218-01-9	0.01	N.D.	N.D.

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel: +86-0769-85088050

Fax: +86-0769-81221086

E-mail: :tst@tst-test.com

Http: www.tst-test.com



# Test Report

Report No : TST20250200648E

Date: Feb.17, 2025

Page 11 of 17

No.	Test Item	CAS No.	MDL(%)	Result (%) A	Result (%) B
181	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear].	--	0.01	N.D.	--
182	1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride)	209-008-0	0.01	N.D.	--
183	Dicyclohexyl phthalate (DCHP)	201-545-9	0.01	N.D.	--
184	Benzo (ghi) perylene	191-24-2	0.01	N.D.	--
185	Decamethylcyclopentasiloxane (D5)	541-02-6	0.01	N.D.	--
186	Disodium octaborate	12008-41-2	0.01	N.D.	N.D.
187	Dodecylmethylcyclohexasiloxane (D6)	540-97-6	0.01	N.D.	--
188	Ethylenediamine	107-15-3	0.01	N.D.	--
189	Lead	7439-92-1	0.01	N.D.	N.D.
190	Octacyclotetrasiloxane (D4)	556-67-2	0.01	N.D.	--
191	Terphenyl hydrogenated	61788-32-7	0.01	N.D.	--
192	2,2-bis(4'-hydroxyphenyl)-4-methylpentane	6807-17-6	0.01	N.D.	--
193	Benzo[k]fluoranthene	207-08-9	0.01	N.D.	--
194	Fluoranthene	206-44-0	0.01	N.D.	--
195	Phenanthrene	85-01-8	0.01	N.D.	--
196	Pyrene	129-00-0	0.01	N.D.	--
197	1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one	15087-24-8	0.01	N.D.	--
198	HFPO-DA 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)	--	0.01	N.D.	--
199	2-Methoxyethyl Acetate	110-49-6	0.01	N.D.	--
200	Tris(4-nonylphenyl, branched and linear)	--	0.01	N.D.	--

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel: +86-0769-85088050

Fax: +86-0769-81221086

E-mail: :tst@tst-test.com

Http: www.tst-test.com





# Test Report

Report No : TST20250200648E

Date: Feb.17, 2025

Page 12 of 17

No.	Test Item	CAS No.	MDL(%)	Result (%) A	Result (%) B
	Phosphite(TNPP)with $\geq$ 0.1%w/w of 4-nonylphenol,branched and linear (4-NP)				
201	4-tert-Butylphenol(PTBP)	98-54-4	0.01	N.D.	--
202	2-Benzyl-2-Dimethylamino-1-(4'-Morpholinylphenyl)Butanone	119313-12-1	0.01	N.D.	--
203	2-Methyl-1-(4-Methylthiophenyl)-2-Morpholinyl-1-Propan-1-One	71868-10-5	0.01	N.D.	--
204	Diisohexyl Phthalate	71850-09-4	0.01	N.D.	--
205	Perfluorobutane Sulfonic Acid (Pfb) And Its Salts	--	0.01	N.D.	--
206	1-vin 1072-63-ylimidazole	1072-63-5	0.01	N.D.	--
207	2-methylimidazole	693-98-1	0.01	N.D.	--
208	Butyl 4-hydroxybenzoate	94-26-8	0.01	N.D.	--
209	Dibutylbis(pentane-2,4-dionato-O,O'tin)	22673-19-4	0.01	N.D.	--
210	Bis(2-(2-methoxyethoxy)ethyl)ether	143-24-8	0.01	N.D.	--
211	Dioctyltin dilaurate, stannane, dioctyl-, bis(cocoacyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety	--	0.01	N.D.	--
212	1,4-dioxane	123-91-1	0.01	N.D.	--
213	2,2-bis(bromomethyl)propane1,3-diol(BMP) 2,2-dimethylpropan-1-ol,tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol(TBNPA) 2,3-dibromo-1-propanol(2,3-DBPA)	3296-90-0 36483-57-5/152 2-92-5 96-13-9	0.01	N.D.	--
214	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers	--	0.01	N.D.	--
215	4,4'-(1-mentylpropylidene)bisphenol(bisphenol B)	77-40-7	0.01	N.D.	--
216	Glutaral	111-30-8	0.01	N.D.	--

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel:+86-0769-85088050

Fax:+86-0769-81221086

E-mail: :tst@tst-test.com

Http:www.tst-test.com





# Test Report

Report No : TST20250200648E

Date: Feb.17, 2025

Page 13 of 17

No.	Test Item	CAS No.	MDL(%)	Result (%) A	Result (%) B
217	Medium-chain chlorinated paraffins(MCCP)[UVCB substances consisting of more than or equal to 80% linear chloroalkaneas with carbon chain lengths within the tange from C14 to C17]	--	0.01	N.D.	--
218	Orthoboric acid,sodium salt	13840-56-7	0.01	N.D.	--
219	Phenol,alkylation products(mainly in paraposition)with C12-rich branched or linear alkyl chains from oligomerisation,covering any individual isomers and/or combinations there of(PDDP)	--	0.01	N.D.	--
220	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	--	0.01	N.D.	--
221	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	119-47-1	0.01	N.D.	--
222	S-(tricyclo(5.2.1.0'2,6)deca-3-en-8(or 9)-yl O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	255881-94-8	0.01	N.D.	--
223	tris(2-methoxyethoxy)vinylsilane	1067-53-4	0.01	N.D.	--
224	N-(hydroxymethyl)acrylamide	924-42-5	0.01	N.D.	--
225	1,1'-[ethane-1,2-diylbisoxy]bis[2,4,6-tribromobenzene]	37853-59-1	0.01	N.D.	--
226	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol	79-94-7	0.01	N.D.	--
227	4,4'-sulphonyldiphenol	80-09-1	0.01	N.D.	--
228	Barium diboron tetraoxide	13701-59-2	0.01	N.D.	--
229	bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof Bis(2-ethylhexyl) tetrabromophthalate	--	0.01	N.D.	--
230	Isobutyl 4-hydroxybenzoate	4247-02-3	0.01	N.D.	--

This report shall not be altered,increased or deleted.The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement.TST is not responsible for the authenticity of the information provided by the customer, including sample information.Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel:+86-0769-85088050

Fax:+86-0769-81221086

E-mail: :tst@tst-test.com

Http:www.tst-test.com



# Test Report

Report No : TST20250200648E

Date: Feb.17, 2025

Page 14 of 17

No.	Test Item	CAS No.	MDL(%)	Result (%) A	Result (%) B
231	Melamine	108-78-1	0.01	N.D.	--
232	Perfluoroheptanoic acid and its salts Sodium perfluoroheptanoate potassium perfluoroheptanoate Ammonium perfluoroheptanoate Perfluoroheptanoic acid	--	0.01	N.D.	--
233	reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-hept afluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl) morpholine	--	0.01	N.D.	--
234	bis(4-chlorophenyl) sulphone	80-07-9	0.01	N.D.	--
235	Diphenyl(2,4,6-trimethylbenzoyl) phosphine oxide	75980-60-8	0.01	N.D.	--
236	2,4,6-tri-tert-butylphenol	732-26-3	0.01	N.D.	--
237	2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylb utyl)phenol (UV-329)	3147-75-9	0.01	N.D.	--
238	2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1 -[4-(morpholin-4-yl)phenyl]butan-1-one	119344-86-4	0.01	N.D.	--
239	Bumetizole (UV-326)	3896-11-5	0.01	N.D.	--
240	Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol	--	0.01	N.D.	--
241	Bis(α,α-dimethylbenzyl) peroxide	80-43-3	0.01	N.D.	--
242	Triphenyl phosphate	115-86-6	0.01	N.D.	--
243	Octamethyltrisiloxane	107-51-7	0.01	N.D.	--
244	Perfluamine	338-83-0	0.01	N.D.	--
245	O,O,O-triphenyl phosphorothioate	597-82-0	0.01	N.D.	--
246	6-[(C10-C13)-alkyl(branched, unsaturated)-2,5-dioxopyrrolidin-1-yl]hexanoic acid	2156592-54-8	0.01	N.D.	--
247	reaction mass of: thiophosphate and tertiarybutylated phenyl derivatives	192268-65-8	0.01	N.D.	--

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel: +86-0769-85088050

Fax: +86-0769-81221086

E-mail: :tst@tst-test.com

Http: www.tst-test.com





# Test Report

Report No : TST20250200648E

Date: Feb.17, 2025

Page 15 of 17

## Note:

1. “\*”=Calculated concentration of bis(tributyltin)oxide TBTO is based on the identified tributyltin, TBT results. The result is screening testing of TBTO and other salts under current technology.
2. “\*\*”= Calculated concentration of cobalt dichloride is based on the identified heavy metal and anion result. Calculated concentration of diarsenic pentaoxide, diarsenic trioxide, sodium dichromate, dehydrate, Lead hydrogen arsebnate and triethyl arsenate are based on the identified heavy metal result.
3. Test Method : Analyzed by ICP-OES,UV-Vis,GC-MS,HPLC-DAD/MS and ColorimetricMethod.
4. MDL = Method Detection Limit
5. N.D.= No Detection(<MDL)
6. A= Nonmetallic material; B=Metallic material
7. Limit:0.1% (each)

## Remarks:

1. The lists are under evaluation by ECHA and may subject to change in the future.
2. Concerning article(s):  
Article 33 of Regulation(EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance in the Candidate List.  
Note: In accordance Regulation (EC) No. 1907/2006, any producer or importer of articles shall notify REACH, In accordance paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance Article 59 (1) of the Regulation, namely
  - (a) the substance is present in those article in quantities totaling over one ton per producer per year;
  - (b) the substance is present in those articles higher than 0.1% weight by weight (w/w).
3. Concerning material(s):  
Test results in this report are based on the tested sample. This report refers to testing result of tested sample submitted as homogeneous material(s). In case such material is being used to compose an article, the results indicated in this report may not represent SVHC concentration in such article. If this report reefers to testing result of composite material group by equal weight proportion, the material in each composite test group may come from more than one article. If the sample is a substance or mixture, and it directly exports to EU, client has the obligation to comply with the supply chain communication obligation under Article 31 of Regulation (EC) No.1907/2006 and the conditions of Authorization of substance of very high concern included in the Annex XIV of the Regulation(EC) No.1907/2006.
4. If a composition result found over the MDL, separation test suggested to confirm which material contains SVHC and the exact concentration by requesting further quantitative.

This report shall not be altered,increased or deleted.The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement.TST is not responsible for the authenticity of the information provided by the customer, including sample information.Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel:+86-0769-85088050

Fax:+86-0769-81221086

E-mail: :tst@tst-test.com

Http:www.tst-test.com






# Test Report

Report No : TST20250200648E

Date: Feb.17, 2025

Page 16 of 17

Sample pictures:



This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel: +86-0769-85088050

Fax: +86-0769-81221086

E-mail: :tst@tst-test.com

Http: www.tst-test.com




# Test Report

Report No : TST20250200648E

Date: Feb.17, 2025

Page 17 of 17



**\*\*\* End of Report \*\*\***

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement. TST is not responsible for the authenticity of the information provided by the customer, including sample information. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Dongguan True Safety Testing Co., Ltd.

Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, China

Tel: +86-0769-85088050

Fax: +86-0769-81221086

E-mail: [tst@tst-test.com](mailto:tst@tst-test.com)

[Http://www.tst-test.com](http://www.tst-test.com)